

Product Retirement Notice

PRN # 13-07

July 1, 2013

Honeywell Announces End of Life Plan For 48X0i & 87XX

This notice serves as formal communication of Honeywell Scanning & Mobility's intent to discontinue the following product(s):

- 4800iSF
- 4800iSR
- 4820iSF
- 4820iSR
- 8750
- 8760

This retirement notice attempts to identify all SKUs affected by the discontinuation of the 48X0i and 87XX family of products. It is possible that some part numbers were missed in the list provided. Honeywell reserves the right to include omitted SKUs if they are related to the products listed above, even if the SKU is not specifically listed in this notice. Those omitted SKUs are subject to the terms specified within this document. As outlined below, Honeywell recommends the Granit™ series to replace the 48x0i. If you are unsure of a specific SKU, please contact your Honeywell representative for clarification.

Retired Models

Product Name	Part Number	Description
4800i	4800ISF051CE	4800ISF, RETL, TTL, USB, GRN, AIMER
4800i	4800ISF031CE	4800ISF, 2D TRUE RS232, GRN, AIMER
4800i	4800ISF-05282KE	4800ISF, FUJIAN KIT, WDG, USB CBL, GRN AIM
4800i	4800ISF-05282E	4800ISF, FUJIAN RETL, TTL, USB, GRN AIMER
4800i	4800ISF051C-0G00E	4800ISFKIT, USB, GR, UG
4800i	4800ISF051C-0F00E	4800ISFKIT, WDG, USB CBL, GREEN AIM
4800i	4800ISR051CE	4800ISR, RETL, TTL, USB, GRN, AIMER
4800i	4800ISR031CE	4800ISR, 2D, TRUE RS232, GRN, AIMER
4800i	4800ISR051C0A00UPS	4800ISR051C-0A00UPSKITE
4800i	4800ISR051C0F00UPS	4800ISR051C-0F00UPSKITE
4800i	4800ISR-03085SE	4800ISR051CE, 4800ISR-53, BELGIUM POST
4800i	4800ISR-025558E	4800ISR051CE, RETL, TTL, USB, GRN, AIMER
4800i	4800ISR-036345E	4800ISR051CE, RETL, TTL, USB, GRN, AIMER
4800i	4800ISR-025558KE	4800ISRKIT, LAPOSTE, WDG & USB CB'S
4800i	4800ISR051C-0B00E	4800ISRKIT, RS232, CBL, QS, PWR
4800i	4800ISR031C-0G00E	4800ISRKIT, RS232, GR, UG
4800i	4800ISR-036345KE	4800ISRKIT, USB, GREEN AIMER
4800i	4800ISR-03085KE	4800ISRKIT, WDG, USB & CBL, BEGIUM POST
4800i	4800ISR051C-0A00E	4800ISRKIT, RS232, KYBD WDG, CBL
4800i	4800ISR-04017KE	4800ISRKIT, WDG, USB, CBL, GREEN AIMER
4800i	4800ISR051C-0F00E	4800ISRKIT, WDG, USB, CBL, GREEN, AIMER
4800i	4800ISF051C-0A00E	4800SFKIT, GRAIMER, KYBD WDGUSB, CBK
4800i	4800ISR051C-0G00E	4800SRKIT, USB, GREEN AIMER. COMPLETE
4820i	4820IHD-IKITBE	4820HD IND. INTERFACE MODUEL KIT, EUR
4820i	4820IHD-IKITAE	4820HD IND. INTERFACE MODULE KIT, NA
4820i	4820IHD-IKITCE	4820HD IND. INTERFACE MODUEL KIT, UK
4820i	4820ISFE	4820I, SF, IND, CORDLESS
4820i	4820ISF-KBWKITBE	4820I, SF, KBW KIT, EMEA
4820i	4820ISF-KBWKITAE	4820I, SF, KBW KIT, NA
4820i	4820ISF-KBWKITCE	4820I, SF, KBW KIT, UK
4820i	4820ISF-SERKITBE	4820I, SF, SERIAL KIT, EMEA

Product Retirement Notice

Product Name	Part Number	Description
4820i	4820ISF-SERKITAE	4820I, SF, SERIAL KIT, NA
4820i	4820IDR-SERKITCE	4820I, SF, SERIAL KIT, UK
4820i	4820ISF-USBKITBE	4820I, SF, USB KIT, EMEA
4820i	4820ISF-USBKITAE	4820I, SF, USB KIT, NA
4820i	4820ISF-USBKITCE	4820I, SF, USB KIT, UK
4820i	4820I-021655E	4820I, SR, IND, CORDLESS
4820i	4820ISRE	4820I, SR, IND, CORDLESS
4820i	4820ISRFIPSE	4820I, SR, IND, CORDLESS, FIPS
4820i	4820I-021655KE	4820I, SR, IND, CORDLESS, KIT
4820i	4820ISR-03048SE	4820I, SR, IND, CORDLESS, LA POSTE
4820i	4820ISR-KBWKITBE	4820I, SR, KBW KIT, EMEA
4820i	4820ISR-KBWKITAE	4820I, SR, KBW KIT, NA
4820i	4820ISR-SERKITBE	4820I, SR, SERIAL KIT, EMEA
4820i	4820ISR-SERKITAE	4820I, SR, SERIAL KIT, NA
4820i	4820ISR-USBKITBE	4820I, SR, USB KIT EMEA
4820i	4820ISR-03048KE	4820I, SR, USB KIT, LA POSTE
4820i	4820ISR-USBKITAE	4820I, SR, USB KIT, NA
4820i	4820ISR-USBKITCE	4820I, SR, USB KIT, UK
4820i	4820IHDM	4820IHDM, LIGHT BAR, W/BT MODUEL S/W
4820i	4820ISR-03647KE	4820ISR, CHARGE BASE KIT, LA POSTE
4820i	4820ISR-GMSERKITE	4820ISR, UNIVERSAL RS232 KIT, GM
4820i	4820ISR-GMUSBKITE	4820ISR, UNIVERSAL USB KIT, GM
4820i	4820ISR-IKITAE	4820ISR, INTERFACE MODULE KIT, NA
4820i	4820ISRM	4820ISR, SR, IND, CORDLESS
4820i	4820ISR-FAFIPSE	CUSTOM, 4820ISRFIPS, W/PIOS BASE, USB, PS
8750	8750A327SCNRBTDPI	SCANNER, DS3478 DPM IMAGER, BLUETOOTH
8750	8750A327SCNRBTHDI	SCANNER, DS3478 HI-DEF IMAGER, BLUETOOTH
8750	8750A326SCNRBTSRI	SCANNER, DS3478 MSRT FCUS IMAGER, BT
8750	8750326SCANNER	SCNR, DS3508SR IMAGER W/CABLE, D9
8750	8750333SCANNER	SCNR, DS3508SR IMAGER W/CABLE, NO CABLE
8750	8750332SCANNER	SCNR, DS3508SR IMAGER W/CABLE, USB-A
8760	8760326SCANNER	SCNR, DS3508HD IMAGER W/CABLE, D9
8760	8760333SCANNER	SCNR, DS3508HD,IMAGER W/CABLE, NO CABLE
8760	8760332SCANNER	SCNR, DS3508HD IMAGER W/CABLE, USB-A
Accessories - PWR		

*

Product Retirement Notice

Recommended Replacement Products:

Current SKU	Replacement SKU	Cable	Granit 191Xi Description
4800ISR051C-0A00E	1910iER-3	CBL-720-300-C00	Scanner, 1D, PDF417, 2D, ER focus, red, RS232/USB/KBW, with vibrator
4800ISR051C-0F00E	1910iER-3USB	Included	USB Kit: 1D, PDF417, 2D, ER focus, red scanner (1910iER-3), USB Type A 3m straight cable (CBL-500-300-S00), with vibrator
4800ISR051C-0G00E	1910iER-3	N/A	Scanner, 1D, PDF417, 2D, ER focus, red, RS232/USB/KBW, with vibrator
4800ISF051C-0A00E	1910iER-3	CBL-720-300-C00	Scanner, 1D, PDF417, 2D, ER focus, red, RS232/USB/KBW, with vibrator
4800ISF051C-0F00E	1910iER-3USB	Included	USB Kit: 1D, PDF417, 2D, ER focus, red scanner (1910iER-3), USB Type A 3m straight cable (CBL-500-300-S00), with vibrator
4800ISF051C-0G00E	1910iER-3	N/A	Scanner, 1D, PDF417, 2D, ER focus, red, RS232/USB/KBW, with vibrator
4800ISR031CE	1910iER-3	CBL-120-300-C00 PS-05-1000W-"X"	Scanner, 1D, PDF417, 2D, ER focus, red, RS232/USB/KBW, with vibrator Power supply: X=A for NA, C for Europe, G for UK
4800ISR051CE	1910iER-3	N/A	Scanner, 1D, PDF417, 2D, ER focus, red, RS232/USB/KBW, with vibrator
4800ISF031CE	1910iER-3	CBL-120-300-C00 PS-05-1000W-"X"	Scanner: 1D, PDF417, 2D, ER focus, red, RS232/USB/KBW, with vibrator Power supply: X=A for NA, C for Europe, G for UK
4800ISF051CE	1910iER-3	N/A	Scanner: 1D, PDF417, 2D, ER focus, red, RS232/USB/KBW, with vibrator
4820ISR-KBWKITAE	1911iER-3 CCB02-100BT-07N PS-05-1000W-A	CBL-720-300-C00	Scanner, 1D, PDF417, 2D, ER focus, red, Bluetooth Class 1, with vibrator Base: charging Class 1 Bluetooth, 100m (300') up to 7 scanners can be connected, RS232/USB/KBW, host interfaces(cable sold separately) Power Supply: NA plug 1.0A @5.2 VDC, 90-225VAC 50-60Hz
4820ISR-KBWKITBE	1911iER-3 CCB02-100BT-07N PS-05-1000W-C	CBL-720-300-C00	Scanner, 1D, PDF417, 2D, ER focus, red, Bluetooth Class 1, with vibrator Base: charging Class 1 Bluetooth, 100m (300') up to 7 scanners can be connected, RS232/USB/KBW, host interfaces(cable sold separately) Power Supply: EU plug 1.0A @5.2 VDC, 90-225VAC 50-60Hz
4820ISR-KBWKITCE	1911iER-3 CCB02-100BT-07N PS-05-1000W-G	CBL-720-300-C00	Scanner, 1D, PDF417, 2D, ER focus, red, Bluetooth Class 1, with vibrator Base: charging Class 1 Bluetooth, 100m (300') up to 7 scanners can be connected, RS232/USB/KBW, host interfaces(cable sold separately) Power Supply: UK plug 1.0A @5.2 VDC, 90-225VAC 50-60Hz
4820ISR-SERKITAE	1911iER-3 CCB02-100BT-07N PS-05-1000W-A	CBL-020-300-C00	Scanner, 1D, PDF417, 2D, ER focus, red, Bluetooth Class 1, with vibrator Base: charging Class 1 Bluetooth, 100m (300') up to 7 scanners can be connected, RS232/USB/KBW, host interfaces(cable sold separately) Power Supply: NA plug 1.0A @5.2 VDC, 90-225VAC 50-60Hz

Product Retirement Notice

Current SKU	Replacement SKU	Cable	Granit 191Xi Description
4820ISR-SERKITBE	1911iER-3 CCB02-100BT-07N PS-05-1000W-C	CBL-020-300-C00	Scanner, 1D, PDF417, 2D, ER focus, red, Bluetooth Class 1, with vibrator Base: charging Class 1 Bluetooth, 100m (300') up to 7 scanners can be connected, RS232/USB/KBW, host interfaces(cable sold separately) Power Supply: EU plug 1.0A @5.2 VDC, 90-225VAC 50-60Hz
4820ISR-USBKITAE	1911iER-3USB-5'	Included	USB Kit: 1D, PDF417, 2D, ER focus, red scanner (1911iER-3), charge & communication base (CCB02-100BT-07N), USB Type A 3m straight cable (CBL-500-300-S00), with vibrator
4820ISR-USBKITBE	1911iER-3USB-5'	Included	USB Kit: 1D, PDF417, 2D, ER focus, red scanner (1911iER-3), charge & communication base (CCB02-100BT-07N), USB Type A 3m straight cable (CBL-500-300-S00), with vibrator
4820ISR-USBKITCE	1911iER-3USB-5'	Included	USB Kit: 1D, PDF417, 2D, ER focus, red scanner (1911iER-3), charge & communication base (CCB02-100BT-07N), USB Type A 3m straight cable (CBL-500-300-S00), with vibrator
4820ISF-KBWKITAE	1911iER-3 CCB02-100BT-07N PS-05-1000W-A	CBL-720-300-C00	Scanner, 1D, PDF417, 2D, ER focus, red, Bluetooth Class 1, with vibrator Base: charging Class 1 Bluetooth, 100m (300') up to 7 scanners can be connected, RS232/USB/KBW, host interfaces(cable sold separately) Power Supply: NA plug 1.0A @5.2 VDC, 90-225VAC 50-60Hz
4820ISF-KBWKITBE	1911iER-3 CCB02-100BT-07N PS-05-1000W-C	CBL-720-300-C00	Scanner, 1D, PDF417, 2D, ER focus, red, Bluetooth Class 1, with vibrator Base: charging Class 1 Bluetooth, 100m (300') up to 7 scanners can be connected, RS232/USB/KBW, host interfaces(cable sold separately) Power Supply: EU plug 1.0A @5.2 VDC, 90-225VAC 50-60Hz
4820ISF-KBWKITCE	1911iER-3 CCB02-100BT-07N PS-05-1000W-G	CBL-720-300-C00	Scanner, 1D, PDF417, 2D, ER focus, red, Bluetooth Class 1, with vibrator Base: charging Class 1 Bluetooth, 100m (300') up to 7 scanners can be connected, RS232/USB/KBW, host interfaces(cable sold separately) Power Supply: UK plug 1.0A @5.2 VDC, 90-225VAC 50-60Hz
4820ISF-SERKITAE	1911iER-3 CCB02-100BT-07N PS-05-1000W-A	CBL-020-300-C00	Scanner, 1D, PDF417, 2D, ER focus, red, Bluetooth Class 1, with vibrator Base: charging Class 1 Bluetooth, 100m (300') up to 7 scanners can be connected, RS232/USB/KBW, host interfaces(cable sold separately) Power Supply: NA plug 1.0A @5.2 VDC, 90-225VAC 50-60Hz

Product Retirement Notice

Current SKU	Replacement SKU	Cable	Granit 191Xi Description
4820ISF-SERKITBE	1911iER-3 CCB02-100BT-07N PS-05-1000W-C	CBL-020-300-C00	Scanner, 1D, PDF417, 2D, ER focus, red, Bluetooth Class 1, with vibrator Base: charging Class 1 Bluetooth, 100m (300') up to 7 scanners can be connected, RS232/USB/KBW, host interfaces(cable sold separately) Power Supply: EU plug 1.0A @5.2 VDC, 90-225VAC 50-60Hz
4820ISF-SERKITCE	1911iER-3 CCB02-100BT-07N PS-05-1000W-G	CBL-020-300-C00	Scanner, 1D, PDF417, 2D, ER focus, red, Bluetooth Class 1, with vibrator Base: charging Class 1 Bluetooth, 100m (300') up to 7 scanners can be connected, RS232/USB/KBW, host interfaces(cable sold separately) Power Supply: UK plug 1.0A @5.2 VDC, 90-225VAC 50-60Hz
4820ISF-USBKITAE	1911iER-3USB-5 ¹	Included	USB Kit: 1D, PDF417, 2D, ER focus, red scanner (1911iER-3), charge & communication base (CCB02-100BT-07N), USB Type A 3m straight cable (CBL-500-300-S00), with vibrator
4820ISF-USBKITBE	1911iER-3USB-5 ¹	Included	USB Kit: 1D, PDF417, 2D, ER focus, red scanner (1911iER-3), charge & communication base (CCB02-100BT-07N), USB Type A 3m straight cable (CBL-500-300-S00), with vibrator
4820ISF-USBKITCE	1911iER-3USB-5 ¹	Included	USB Kit: 1D, PDF417, 2D, ER focus, red scanner (1911iER-3), charge & communication base (CCB02-100BT-07N), USB Type A 3m straight cable (CBL-500-300-S00), with vibrator
4820IHD-IKITAE	1902gHD-2 AP-010BT-07N PS-05-1000WA BAT-SCN01 MB4-BAT-SCN01NAW0	N/A	Scanner: 1D, PDF417, 2D ,HD focus, black, Bluetooth Access Point: Class 2 Bluetooth, 10m (33'), up to 7 scanner can be connected, RS232/USB/KBW/IBM (cable sold separately) Power Supply: NA plug, 1.0A @ 5,2VDC, 90-225 VAC @ 50-60Hz Li-Ion Battery Pack Charger: 4-bay battery charger (NA) for use with Granit 1911i, Lithium-ion batteries, wall mount power supply (100007046), two mounting screws (100006897), and instructions (MBC-INST)
4820IHD-IKITBE	1902gHD-2 AP-010BT-07N PS-05-1000WC BAT-SCN01 MB4-BAT-SCN01EUW0	N/A	Scanner: 1D, PDF417, 2D ,HD focus, black, Bluetooth Access Point: Class 2 Bluetooth, 10m (33'), up to 7 scanner can be connected, RS232/USB/KBW/IBM (cable sold separately) Power Supply: EU plug, 1.0A @ 5,2VDC, 90-225 VAC @ 50-60Hz Li-Ion Battery Pack Charger: 4-bay battery charger (EU) for use with Granit 1911i, Lithium-ion batteries, wall mount power supply (100007046), two mounting screws (100006897), and instructions (MBC-INST)

Product Retirement Notice

Current SKU	Replacement SKU	Cable	Granit 191Xi Description
4820IHD-IKITCE	1902gHD-2 AP-010BT-07N PS-05-1000WG BAT-SCN01 MB4-BAT-SCN01UKW0	N/A	Scanner: 1D, PDF417, 2D ,HD focus, black, Bluetooth Access Point: Class 2 Bluetooth, 10m (33'), up to 7 scanner can be connected, RS232/USB/KBW/IBM (cable sold separately) Power Supply: UK plug, 1.0A @ 5,2VDC, 90-225 VAC @ 50-60Hz Li-Ion Battery Pack Charger: 4-bay battery charger (UK) for use with Granit 1911i, Lithium-ion batteries, wall mount power supply (100007046), two mounting screws (100006897), and instructions (MBC-INST)
4820ISRE	1911iER-3	N/A	Scanner, 1D, PDF, 2D, ER focus, red, Bluetooth Class 1, with vibrator
4820ISFE	1911iER-3	N/A	Scanner, 1D, PDF, 2D, ER focus, red, Bluetooth Class 1, with vibrator
8750326SCANNER	1910iER-3	CBL-020-300-C00	Scanner, 1D, PDF417, 2D, ER focus, red, RS232/USB/KBW, with vibrator
8750333SCANNER	1910iER-3	N/A	Scanner, 1D, PDF417, 2D, ER focus, red, RS232/USB/KBW, with vibrator
8750332SCANNER	1910iER-3USB	Included	USB Kit: 1D, PDF417, 2D, ER focus, red scanner (1910iER-3), USB Type A 3m straight cable (CBL-500-300-S00), with vibrator
8750A327SCNRBTDPI	1902gHD-2 ²	CBL-020-300-C00	Scanner: 1D, PDF417, 2D ,HD focus, black, Bluetooth
8750A327SCNRBTHDI	1902gHD-2	N/A	Scanner: 1D, PDF417, 2D ,HD focus, black, Bluetooth
8750A326SCNRBTSRI			
8760326SCANNER	1902gHD-2	CBL-020-300-C00	Scanner: 1D, PDF417, 2D ,HD focus, black, Bluetooth
8760333SCANNER	1902gHD-2	N/A	Scanner: 1D, PDF417, 2D ,HD focus, black, Bluetooth
8760332SCANNER	1902gHD-2USB-5	Included	USB Kit: 1D, PDF417, 2D, HD focus, black scanner (1902gHD-2), charge & communication base (CCB01-010BT-07N), USB Type A 3m straight cable (CBL-500-300-S00)

1. Power supply for Granit 1911iER USB kits not recommended. Power can be drawn from host USB port
2. For DPM applications recommend DPM Total Freedom Module from [2DTG](#)

Product Retirement Notice

Regions Affected:

X Asia Pacific (AP) X Europe, Middle East, Africa (EMEA)
X Latin America (LA) X North America (NA)

Reason for Retirement:

On January 17, 2013 Honeywell launched the Granit™ series, the company's next generation of Industrial standard range 2D scanners. As Granit provides class leading durability with performance 2nd to none, Granit will be replacing the existing offerings.

Timeline of Events:

Last Time Buy	Honeywell will not accept hardware or service contract orders after this date	31-Dec-13
Last Time Ship	Honeywell will not ship product after this date	31-Mar-14
Stock Rotation Request	Honeywell will not accept requests for stock rotation after this date	2-Aug-13
Stock Rotation Return	Honeywell must receive all final stock rotated units by this date	27-Sep-13
End of Service 4820i, 87XX	Honeywell will not offer spare parts or servicing of units after this date	22-Nov-16
End of Service 4800i	Honeywell will not offer spare parts or servicing of units after this date	22-Nov-18

Product Retirement Notice

Service and Warranty:

Honeywell will maintain our commitment to our customers by supporting and servicing discontinued product at all worldwide service centers throughout the life of all warranties in place, as long as the required parts are commercially available.

Contact:

Honeywell Scanning & Mobility is committed to providing you with a superior level of customer service. Please contact your Honeywell representative for additional information regarding this communication.

For more information:

www.honeywellaidc.com

Honeywell Scanning & Mobility

9680 Old Balfes Road

Fort Mill, SC 29707

800.582.4263

www.honeywell.com

The Honeywell logo is displayed in a bold, red, sans-serif font.